

Inhaltsverzeichnis

Info Plugin	7
~~INFO:syntaxmodes~~	7
~~INFO:syntaxtypes~~	9
~~INFO:syntaxplugins~~	10
~~INFO:adminplugins~~	11
~~INFO:actionplugins~~	12
~~INFO:rendererplugins~~	14
~~INFO:helperplugins~~	14
~~INFO:helpermethods~~	15
Bureaucracy Plugin	15
\$bureaucracy_action->run()	15
Bureaucracy Plugin	16
\$bureaucracy_actionmail->run()	16
Bureaucracy Plugin	16
\$bureaucracy_actionscript->run()	16
Bureaucracy Plugin	16
\$bureaucracy_actiontemplate->run()	16
Bureaucracy Plugin	17
\$bureaucracy_field->initialize()	17
\$bureaucracy_field->renderfield()	17
\$bureaucracy_field->handle_post()	17
\$bureaucracy_field->getFieldType()	17
\$bureaucracy_field->isSet_()	17
\$bureaucracy_field->getParam()	17
\$bureaucracy_field->after_action()	18
Bureaucracy Plugin	18
\$bureaucracy_fieldaddpage->initialize()	18
\$bureaucracy_fieldaddpage->renderfield()	18
\$bureaucracy_fieldaddpage->handle_post()	18
\$bureaucracy_fieldaddpage->getFieldType()	18
\$bureaucracy_fieldaddpage->isSet_()	18
\$bureaucracy_fieldaddpage->getParam()	18
\$bureaucracy_fieldaddpage->after_action()	19
Bureaucracy Plugin	19
\$bureaucracy_fielddate->initialize()	19
\$bureaucracy_fielddate->renderfield()	19
\$bureaucracy_fielddate->handle_post()	19
\$bureaucracy_fielddate->getFieldType()	19
\$bureaucracy_fielddate->isSet_()	19
\$bureaucracy_fielddate->getParam()	19
\$bureaucracy_fielddate->after_action()	20
Bureaucracy Plugin	20
\$bureaucracy_fieldemail->initialize()	20
\$bureaucracy_fieldemail->renderfield()	20
\$bureaucracy_fieldemail->handle_post()	20
\$bureaucracy_fieldemail->getFieldType()	20
\$bureaucracy_fieldemail->isSet_()	20
\$bureaucracy_fieldemail->getParam()	20

\$bureaucracy_fieldemail->after_action()	21
Bureaucracy Plugin	21
\$bureaucracy_fieldfieldset->initialize()	21
\$bureaucracy_fieldfieldset->renderfield()	21
\$bureaucracy_fieldfieldset->handle_post()	21
\$bureaucracy_fieldfieldset->getFieldType()	21
\$bureaucracy_fieldfieldset->isSet_()	21
\$bureaucracy_fieldfieldset->getParam()	21
\$bureaucracy_fieldfieldset->after_action()	22
Bureaucracy Plugin	22
\$bureaucracy_fieldfile->initialize()	22
\$bureaucracy_fieldfile->renderfield()	22
\$bureaucracy_fieldfile->handle_post()	22
\$bureaucracy_fieldfile->getFieldType()	22
\$bureaucracy_fieldfile->isSet_()	22
\$bureaucracy_fieldfile->getParam()	22
\$bureaucracy_fieldfile->after_action()	23
Bureaucracy Plugin	23
\$bureaucracy_fieldhidden->initialize()	23
\$bureaucracy_fieldhidden->renderfield()	23
\$bureaucracy_fieldhidden->handle_post()	23
\$bureaucracy_fieldhidden->getFieldType()	23
\$bureaucracy_fieldhidden->isSet_()	23
\$bureaucracy_fieldhidden->getParam()	23
\$bureaucracy_fieldhidden->after_action()	24
Bureaucracy Plugin	24
\$bureaucracy_fieldhiddenautoinc->initialize()	24
\$bureaucracy_fieldhiddenautoinc->renderfield()	24
\$bureaucracy_fieldhiddenautoinc->handle_post()	24
\$bureaucracy_fieldhiddenautoinc->getFieldType()	24
\$bureaucracy_fieldhiddenautoinc->isSet_()	24
\$bureaucracy_fieldhiddenautoinc->getParam()	24
\$bureaucracy_fieldhiddenautoinc->after_action()	25
Bureaucracy Plugin	25
\$bureaucracy_fieldmultiselect->initialize()	25
\$bureaucracy_fieldmultiselect->renderfield()	25
\$bureaucracy_fieldmultiselect->handle_post()	25
\$bureaucracy_fieldmultiselect->getFieldType()	25
\$bureaucracy_fieldmultiselect->isSet_()	25
\$bureaucracy_fieldmultiselect->getParam()	25
\$bureaucracy_fieldmultiselect->after_action()	26
Bureaucracy Plugin	26
\$bureaucracy_fieldnumber->initialize()	26
\$bureaucracy_fieldnumber->renderfield()	26
\$bureaucracy_fieldnumber->handle_post()	26
\$bureaucracy_fieldnumber->getFieldType()	26
\$bureaucracy_fieldnumber->isSet_()	26
\$bureaucracy_fieldnumber->getParam()	26
\$bureaucracy_fieldnumber->after_action()	27
Bureaucracy Plugin	27
\$bureaucracy_fieldonoff->initialize()	27

\$bureaucracy_fieldonoff->renderfield()	27
\$bureaucracy_fieldonoff->handle_post()	27
\$bureaucracy_fieldonoff->getFieldType()	27
\$bureaucracy_fieldonoff->isSet_()	27
\$bureaucracy_fieldonoff->getParam()	27
\$bureaucracy_fieldonoff->after_action()	28
Bureaucracy Plugin	28
\$bureaucracy_fieldpassword->initialize()	28
\$bureaucracy_fieldpassword->renderfield()	28
\$bureaucracy_fieldpassword->handle_post()	28
\$bureaucracy_fieldpassword->getFieldType()	28
\$bureaucracy_fieldpassword->isSet_()	28
\$bureaucracy_fieldpassword->getParam()	28
\$bureaucracy_fieldpassword->after_action()	29
Bureaucracy Plugin	29
\$bureaucracy_fieldradio->initialize()	29
\$bureaucracy_fieldradio->renderfield()	29
\$bureaucracy_fieldradio->handle_post()	29
\$bureaucracy_fieldradio->getFieldType()	29
\$bureaucracy_fieldradio->isSet_()	29
\$bureaucracy_fieldradio->getParam()	29
\$bureaucracy_fieldradio->after_action()	30
Bureaucracy Plugin	30
\$bureaucracy_fieldselect->initialize()	30
\$bureaucracy_fieldselect->renderfield()	30
\$bureaucracy_fieldselect->handle_post()	30
\$bureaucracy_fieldselect->getFieldType()	30
\$bureaucracy_fieldselect->isSet_()	30
\$bureaucracy_fieldselect->getParam()	30
\$bureaucracy_fieldselect->after_action()	31
Bureaucracy Plugin	31
\$bureaucracy_fieldstatic->initialize()	31
\$bureaucracy_fieldstatic->renderfield()	31
\$bureaucracy_fieldstatic->handle_post()	31
\$bureaucracy_fieldstatic->getFieldType()	31
\$bureaucracy_fieldstatic->isSet_()	31
\$bureaucracy_fieldstatic->getParam()	31
\$bureaucracy_fieldstatic->after_action()	32
Bureaucracy Plugin	32
\$bureaucracy_fieldsubject->initialize()	32
\$bureaucracy_fieldsubject->renderfield()	32
\$bureaucracy_fieldsubject->handle_post()	32
\$bureaucracy_fieldsubject->getFieldType()	32
\$bureaucracy_fieldsubject->isSet_()	32
\$bureaucracy_fieldsubject->getParam()	32
\$bureaucracy_fieldsubject->after_action()	33
Bureaucracy Plugin	33
\$bureaucracy_fieldsubmit->initialize()	33
\$bureaucracy_fieldsubmit->renderfield()	33
\$bureaucracy_fieldsubmit->handle_post()	33
\$bureaucracy_fieldsubmit->getFieldType()	33

\$bureaucracy_fieldsubmit->isSet_()	33
\$bureaucracy_fieldsubmit->getParam()	33
\$bureaucracy_fieldsubmit->after_action()	34
Bureaucracy Plugin	34
\$bureaucracy_fieldtextarea->initialize()	34
\$bureaucracy_fieldtextarea->renderfield()	34
\$bureaucracy_fieldtextarea->handle_post()	34
\$bureaucracy_fieldtextarea->getFieldType()	34
\$bureaucracy_fieldtextarea->isSet_()	34
\$bureaucracy_fieldtextarea->getParam()	34
\$bureaucracy_fieldtextarea->after_action()	35
Bureaucracy Plugin	35
\$bureaucracy_fieldtextbox->initialize()	35
\$bureaucracy_fieldtextbox->renderfield()	35
\$bureaucracy_fieldtextbox->handle_post()	35
\$bureaucracy_fieldtextbox->getFieldType()	35
\$bureaucracy_fieldtextbox->isSet_()	35
\$bureaucracy_fieldtextbox->getParam()	35
\$bureaucracy_fieldtextbox->after_action()	36
Bureaucracy Plugin	36
\$bureaucracy_fieldtime->initialize()	36
\$bureaucracy_fieldtime->renderfield()	36
\$bureaucracy_fieldtime->handle_post()	36
\$bureaucracy_fieldtime->getFieldType()	36
\$bureaucracy_fieldtime->isSet_()	36
\$bureaucracy_fieldtime->getParam()	36
\$bureaucracy_fieldtime->after_action()	37
Bureaucracy Plugin	37
\$bureaucracy_fieldusemailtemplate->initialize()	37
\$bureaucracy_fieldusemailtemplate->renderfield()	37
\$bureaucracy_fieldusemailtemplate->handle_post()	37
\$bureaucracy_fieldusemailtemplate->getFieldType()	37
\$bureaucracy_fieldusemailtemplate->isSet_()	37
\$bureaucracy_fieldusemailtemplate->getParam()	37
\$bureaucracy_fieldusemailtemplate->after_action()	38
Bureaucracy Plugin	38
\$bureaucracy_fielduser->initialize()	38
\$bureaucracy_fielduser->renderfield()	38
\$bureaucracy_fielduser->handle_post()	38
\$bureaucracy_fielduser->getFieldType()	38
\$bureaucracy_fielduser->isSet_()	38
\$bureaucracy_fielduser->getParam()	38
\$bureaucracy_fielduser->after_action()	39
Bureaucracy Plugin	39
\$bureaucracy_fieldusers->initialize()	39
\$bureaucracy_fieldusers->renderfield()	39
\$bureaucracy_fieldusers->handle_post()	39
\$bureaucracy_fieldusers->getFieldType()	39
\$bureaucracy_fieldusers->isSet_()	39
\$bureaucracy_fieldusers->getParam()	39
\$bureaucracy_fieldusers->after_action()	40

Bureaucracy Plugin	40
\$bureaucracy_fieldwiki->initialize()	40
\$bureaucracy_fieldwiki->renderfield()	40
\$bureaucracy_fieldwiki->handle_post()	40
\$bureaucracy_fieldwiki->getFieldType()	40
\$bureaucracy_fieldwiki->isSet_()	40
\$bureaucracy_fieldwiki->getParam()	40
\$bureaucracy_fieldwiki->after_action()	41
Bureaucracy Plugin	41
\$bureaucracy_fieldyesno->initialize()	41
\$bureaucracy_fieldyesno->renderfield()	41
\$bureaucracy_fieldyesno->handle_post()	41
\$bureaucracy_fieldyesno->getFieldType()	41
\$bureaucracy_fieldyesno->isSet_()	41
\$bureaucracy_fieldyesno->getParam()	41
\$bureaucracy_fieldyesno->after_action()	42
discussion plugin	42
\$discussion->th()	42
\$discussion->td()	42
\$discussion->getThreads()	42
\$discussion->getComments()	42
\$discussion->isDiscussionModerator()	42
multiorphan plugin	42
\$multiorphan->getThreads()	43
\$multiorphan->()	43
Pagelist Plugin	43
\$pagelist->addColumn()	43
\$pagelist->modifyColumn()	43
\$pagelist->setHeader()	43
\$pagelist->setFlags()	43
\$pagelist->startList()	43
\$pagelist->addPage()	43
\$pagelist->finishList()	44
Inline Page Modifier	44
\$pagemod_pagemod->run()	44
Tag Plugin	44
\$tag->overrideSortFlags()	44
\$tag->th()	44
\$tag->td()	44
\$tag->tagLinks()	44
\$tag->getTopic()	45
\$tag->tagRefine()	45
\$tag->tagOccurrences()	45

Plugin URL	Installiert	Bemerkung
https://www.dokuwiki.org/plugin:imgpaste		
https://www.dokuwiki.org/plugin:info		

Info Plugin

~~INFO:syntaxmodes~~

plugin.bpmnio.bpmnio	0
listblock	10
preformatted	20
notoc	30
plugin_revealjs_theme	32
plugin_revealjs_notes	
plugin_revealjs_header	
plugin_revealjs_fragmentblock	
plugin_revealjs_footer	
plugin_revealjs_background	
plugin_revealjs_fragment	
nocache	40
plugin_dw2pdf_pagesetting	41
plugin_dw2pdf_exportlink	41
plugin_qna_header	50
header	50
plugin_qna_toc	55
plugin_qna_block	55
table	60
strong	70
emphasis	80
underline	90
monospace	100
plugin_siteexport_toc	100
plugin_changes	105
subscript	110
superscript	120
deleted	130
plugin_indexmenu_indexmenu	138
plugin_indexmenu_tag	139
linebreak	140
footnote	150
plugin qc	150
plugin_struct_cloud	151

plugin_struct_table	
plugin_bureaucracy	
plugin_struct_filter	
plugin_struct_serial	
plugin_struct_output	155
plugin_vshare_debug	
plugin_info	
plugin_struct_global	
plugin_struct_list	
plugin_color	158
plugin_vshare_video	159
hr	160
plugin_pagelist	168
plugin_doodle3	
unformatted	170
plugin_nspages	189
plugin_wrap_span	
plugin_wrap_spaninline	
plugin_wrap_divwrap	
plugin_wrap_spanwrap	195
plugin_wrap_divblock	
plugin_datatables	
plugin_wrap_div	
plugin_wrap_closesection	
plugin_addnewpage	199
plugin_plantumlparser_injector	
code	200
file	210
quote	220
smiley	230
plugin_discussion_comments	
acronym	240
plugin_todo_list	250
entity	260
plugin_tag_topic	
plugin_tag_searchtags	295

plugin_icons_flag	
plugin_icons_fugue	
plugin_icons_material	
plugin_icons_fa	
plugin_icons_breeze	
plugin_icons_glyphicon	
plugin_icons_fl	299
plugin_icons_icon	
plugin_icons_mdi	
plugin_icons_oxygen	
plugin_icons_ra	
plugin_icons_silk	
plugin_icons_typcn	
internallink	
plugin_siteexport_siteexport	300
plugin_siteexport_aggregate	
plugin_tag_tag	
plugin_tag_count	305
plugin_tag_tagpage	
plugin_discussion_threads	306
rss	310
plugin_struct_value	315
media	320
plugin_pagemod	321
externallink	330
emaillink	340
windowssharelink	350
eol	370
plugin_authorstats	371
plugin_keyboard	444
plugin_siteexport_toctools	999
plugin_todo_todo	

~~INFO:syntaxtypes~~

container	listblock, table, quote, hr, plugin_datatables, plugin_qna_block, plugin_qna_toc, plugin_revealjs_fragment
baseonly	header, plugin_qna_header
formatting	strong, emphasis, underline, monospace, subscript, superscript, deleted, footnote, plugin_color, plugin_keyboard, plugin_wrap_div, plugin_wrap_divblock, plugin_wrap_divwrap, plugin_wrap_span, plugin_wrap_spaninline, plugin_wrap_spanwrap

substition	acronym, smiley, wordblock, entity, camelcaselink, internallink, media, externallink, linebreak, emaillink, windowssharelink, filelink, notoc, nocache, multiplyentity, quotes, rss, plugin_addnewpage, plugin_authorstats, plugin_bureaucracy, plugin_changes, plugin_discussion_comments, plugin_discussion_threads, plugin_doodle3, plugin_dw2pdf_exportlink, plugin_dw2pdf_pagesetting, plugin_icons_breeze, plugin_icons_fa, plugin_icons_fl, plugin_icons_flag, plugin_icons_fugue, plugin_icons_glyphicon, plugin_icons_icon, plugin_icons_material, plugin_icons_mdi, plugin_icons_oxygen, plugin_icons_ra, plugin_icons_silk, plugin_icons_tpcn, plugin_indexmenu_indexmenu, plugin_indexmenu_tag, plugin_info, plugin_nspages, plugin_pagelist, plugin_pagemod, plugin_plantumlparser_injector, plugin_qc, plugin_revealjs_background, plugin_revealjs_footer, plugin_revealjs_fragmentblock, plugin_revealjs_header, plugin_revealjs_notes, plugin_revealjs_theme, plugin_siteexport_aggregate, plugin_siteexport_siteexport, plugin_siteexport_toctools, plugin_struct_cloud, plugin_struct_filter, plugin_struct_global, plugin_struct_list, plugin_struct_output, plugin_struct_serial, plugin_struct_table, plugin_struct_value, plugin_tag_count, plugin_tag_searchtags, plugin_tag_tag, plugin_tag_tagpage, plugin_tag_topic, plugin_todo_list, plugin_todo_todo, plugin_vshare_debug, plugin_vshare_video, plugin_wrap_closesection
protected	preformatted, code, file, plugin_bpmpnio_bpmpnio, plugin_siteexport_toc
disabled	unformatted
paragraphs	eol

'Substitution' may look like a typo, but it's not (any more). It's transformed into the "standard". See  this footnote for an explanation.

~~INFO:syntaxplugins~~

- [Add New Page plugin 2024-09-14](#) von [Damien Regad, Benjamin Santalucia, Sam Wilson and other contributors](#)
Adds a "new page form" to any wiki page.
- [authorstats plugin 2022-3-12](#) von [George Chatzisofroniou, Constantinos Xanthopoulos](#)
Plugin that outputs statistics about the wiki's authors.
- [bpmpnio 2023-04-16](#) von [Jaap de Haan](#)
Renders BPMN or DMN xml using the bpmn.io js library
- [Bureaucracy Plugin 2023-05-16](#) von [Andreas Gohr](#)
Create forms and generate pages or emails from them
- [Changes Plugin 2023-12-14](#) von [Andreas Gohr](#)
List the most recent changes of the wiki
- [color syntax plugin 2022-10-19](#) von [Harald Hanche-Olsen](#)
Write colored text in DokuWiki.
- [DataTables Plugin 2023-08-31](#) von [Giuseppe Di Terlizzi](#)
Add DataTables support to DokuWiki
- [discussion plugin 2021-12-31](#) von [Michael Hamann, Gerrit Uitslag, Gina Häussge, Christopher Smith, Michael Klier, Esther Brunner, Matthias Schulte](#)
Provides discussion functionality for wiki pages
- [Doodle Plugin 3 2017/03/30](#) von [Matthias Jung](#)
helps to schedule meetings
- [Dw2Pdf plugin 2023-11-25](#) von [Andreas Gohr and Luigi Micco](#)
DokuWiki to PDF converter
- [Icons Plugin 2019-08-27](#) von [Giuseppe Di Terlizzi](#)
Embed icons in Dokuwiki

- [Indexmenu Plugin 2024-01-05](#) von [Samuele Tognini, Gerrit Uitslag](#)
Show a customizable and sortable index for a namespace
- [Info Plugin 2020-06-04](#) von [Andreas Gohr](#)
Displays information about various DokuWiki internals
- [keyboard 2023-02-23](#) von [Gina Häußge](#)
The keyboard plugin provides a combined syntax and action plugin in order to markup text as keyboard keys, similar to (and making use of) the existing (X)HTML tag <kbd>...</kbd>. A quick button for the markup is automatically inserted into the toolbar of the edit form.
- [nspages plugin 2024-10-07](#) von [Guillaume Turri](#)
Presents a toc of the selected namespace using <nspages>
- [Pagelist Plugin 2023-08-27](#) von [Matthias Schulte, Michael Hamann, Michael Klier, Gina Haeussge](#)
Lists pages in a nice formatted way
- [Inline Page Modifier 2014-11-10](#) von [Baseline IT](#)
Allows you create structured ways pages can be modified
- [PlantUML Parser 2023-11-02](#) von [Kyle Carter](#)
This plugin takes PlantUML markup from a wiki page and has it displayed in a user's browser.
- [Quality Control Plugin 2024-05-02](#) von [Andreas Gohr](#)
Check the page structure for quality problems
- [QnA Plugin 2023-06-18](#) von [Mykola Ostrovskyy](#)
Custom formatting for Q&A (FAQ) sections.
- [Reveal.js Slideshow Plugin 2020-05-27](#) von [Emmanuel Klinger, Ottmar Gobrecht](#)
Display a Wiki page as Reveal.js slideshow presentation
- [Site Export 2023-07-07](#) von [i-net software](#)
exports the dokuwiki site in the given format
- [struct plugin 2024-07-08](#) von [Andreas Gohr, Michael Große, Anna Dabrowska](#)
Add and query additional structured page data
- [Tag Plugin 2023-10-17](#) von [Michael Hamann, Gina Häussge, Christopher Smith, Michael Klier, Esther Brunner](#)
tag wiki pages
- [ToDo 2024-05-10](#) von [Leo Eibler, Christian Marg, Markus Gschwendt, Robert Weinmeister](#)
Create a checkbox based todo list with optional user assignment (basic syntax: <todo>This is a ToDo</todo>). It can also be used as a lightweight task list management system.
- [Video Sharing Site Plugin 2024-03-24](#) von [Andreas Gohr](#)
Easily embed videos from various Video Sharing sites. Example: {{youtube>XXXXXX}}
- [Wrap Plugin 2023-08-13](#) von [Anika Henke](#)
Universal plugin which combines functionalities of many other plugins. Wrap wiki text inside containers (divs or spans) and give them a class (choose from a variety of preset classes), a width and/or a language with its associated text direction.

~~INFO:adminplugins~~

- [ACL Manager 2015-07-25](#) von [Andreas Gohr](#)
Manage Page Access Control Lists
- [authorstats plugin 2022-3-12](#) von [George Chatzisofroniou, Constantinos Xanthopoulos](#)
Plugin that outputs statistics about the wiki's authors.
- [cleanup plugin 2016-07-06](#) von [Andreas Gohr](#)
Perform file cleanup in the wiki
- [Remove irrelevant entries from the change history 2023-01-31](#) von [Dominik Eckelmann](#)
This plugin deletes consecutive history entrys that were made by the same user user within 1 hour
- [Configuration Manager 2015-07-18](#) von [Christopher Smith](#)

Manage Dokuwiki's Configuration Settings

- [discussion plugin](#) 2021-12-31 von Michael Hamann, Gerrit Uitslag, Gina Häussge, Christopher Smith, Michael Klier, Esther Brunner, Matthias Schulte
Provides discussion functionality for wiki pages
- [Extension Manager](#) 2015-07-26 von Michael Hamann
Allows managing and installing plugins and templates
- [Indexmenu Plugin](#) 2024-01-05 von Samuele Tognini, Gerrit Uitslag
Show a customizable and sortable index for a namespace
- [logviewer plugin](#) 2023-12-22 von Andreas Gohr
View DokuWiki logs
- [Move plugin](#) 2024-05-07 von Michael Hamann, Gary Owen, Arno Puschmann, Christoph Jähnigen
Move and rename pages and media files whilst maintaining the links.
- [multiorphan plugin](#) 2021-12-20 von i-net software
Administrative GUI to find all sorts of orphaned or wanted pages and media. This works using AJAX instead of loading everything into one page.
- [newpagetemplate Plugin](#) 2023-10-19 von Damien Regad, Jason Grout, Myron Turner
Load namespace-style template into new file from URL
- [Popularity Feedback Plugin](#) 2015-07-15 von Andreas Gohr
Send anonymous data about your wiki to the DokuWiki developers
- [Quality Control Plugin](#) 2024-05-02 von Andreas Gohr
Check the page structure for quality problems
- [Revert Manager](#) 2015-07-15 von Andreas Gohr
Allows you to mass revert recent edits to remove Spam or vandalism
- [Searchindex Manager](#) 2020-06-21 von Andreas Gohr
Allows to rebuild the fulltext search index
- [Site Export](#) 2023-07-07 von i-net software
exports the dokuwiki site in the given format
- [smtp plugin](#) 2023-04-03 von Andreas Gohr
Send mails via a configured SMTP server
- [sqlite plugin](#) 2024-06-25 von Andreas Gohr
A helper plugin to easily access a SQLite database
- [struct plugin](#) 2024-07-08 von Andreas Gohr, Michael Große, Anna Dabrowska
Add and query additional structured page data
- [styling plugin](#) 2020-06-14 von Andreas Gohr
Allows to edit style.ini replacements
- [DokuWiki Upgrade Plugin](#) 2024-02-06 von Andreas Gohr
Automatically upgrade your DokuWiki install to the most recent stable release
- [User Manager](#) 2015-07-15 von Chris Smith
Manage DokuWiki user accounts

~~INFO:actionplugins~~

- [ACL Manager](#) 2015-07-25 von Andreas Gohr
Manage Page Access Control Lists
- [authorstats plugin](#) 2022-3-12 von George Chatzisofroniou, Constantinos Xanthopoulos
Plugin that outputs statistics about the wiki's authors.
- [bpmnio](#) 2023-04-16 von Jaap de Haan
Renders BPMN or DMN xml using the bpmn.io js library
- [Bureaucracy Plugin](#) 2023-05-16 von Andreas Gohr
Create forms and generate pages or emails from them
- [Changes Plugin](#) 2023-12-14 von Andreas Gohr

List the most recent changes of the wiki

- [cleanup plugin 2016-07-06](#) von [Andreas Gohr](#)

Perform file cleanup in the wiki

- [Remove irrelevant entries from the change history 2023-01-31](#) von [Dominik Eckelmann](#)

This plugin deletes consecutive history entries that were made by the same user within 1 hour

- [CodeMirror plugin 2020-09-05](#) von [Albert Gasset \(fix by CosmoCode\)](#)

Editor with syntax highlighting

- [DataTables Plugin 2023-08-31](#) von [Giuseppe Di Terlizzi](#)

Add DataTables support to DokuWiki

- [discussion plugin 2021-12-31](#) von [Michael Hamann, Gerrit Uitslag, Gina Häussge, Christopher Smith, Michael Klier, Esther Brunner, Matthias Schulte](#)

Provides discussion functionality for wiki pages

- [Dw2Pdf plugin 2023-11-25](#) von [Andreas Gohr and Luigi Micco](#)

DokuWiki to PDF converter

- [EditTable plugin 2023-01-14](#) von [Andreas Gohr](#)

Provide a custom editor for tables

- [Extension Manager 2015-07-26](#) von [Michael Hamann](#)

Allows managing and installing plugins and templates

- [Icons Plugin 2019-08-27](#) von [Giuseppe Di Terlizzi](#)

Embed icons in Dokuwiki

- [imgpaste plugin 2024-10-21](#) von [Andreas Gohr](#)

Add images via cut'n'paste in Chrome

- [Indexmenu Plugin 2024-01-05](#) von [Samuele Tognini, Gerrit Uitslag](#)

Show a customizable and sortable index for a namespace

- [keyboard 2023-02-23](#) von [Gina Häußge](#)

The keyboard plugin provides a combined syntax and action plugin in order to markup text as keyboard keys, similar to (and making use of) the existing (X)HTML tag <kbd>...</kbd>. A quick button for the markup is automatically inserted into the toolbar of the edit form.

- [logviewer plugin 2023-12-22](#) von [Andreas Gohr](#)

View DokuWiki logs

- [Move plugin 2024-05-07](#) von [Michael Hamann, Gary Owen, Arno Puschmann, Christoph Jähnigen](#)

Move and rename pages and media files whilst maintaining the links.

- [multiorphan plugin 2021-12-20](#) von [i-net software](#)

Administrative GUI to find all sorts of orphaned or wanted pages and media. This works using AJAX instead of loading everything into one page.

- [newpagetemplate 2007-02-24](#) von [Jason Grout, Myron Turner](#)

Loads into the new page creation box a template specified in the \$_REQUEST "newpagetemplate" parameter (i.e., can be passed in the URL or as a form value).

- [nspages plugin 2024-10-07](#) von [Guillaume Turri](#)

Presents a toc of the selected namespace using <nspages>

- [PlantUML Parser 2023-11-02](#) von [Kyle Carter](#)

This plugin takes PlantUML markup from a wiki page and has it displayed in a user's browser.

- [Popularity Feedback Plugin 2015-07-15](#) von [Andreas Gohr](#)

Send anonymous data about your wiki to the DokuWiki developers

- [Quality Control Plugin 2024-05-02](#) von [Andreas Gohr](#)

Check the page structure for quality problems

- [QnA Plugin 2023-06-18](#) von [Mykola Ostrovskyy](#)

Custom formatting for Q&A (FAQ) sections.

- [Reveal.js Slideshow Plugin 2020-05-27](#) von [Emmanuel Klinger, Ottmar Gobrecht](#)

Display a Wiki page as Reveal.js slideshow presentation

- [safefnrecode plugin 2012-07-28 von Andreas Gohr](#)
Changes existing page and foldernames for the change in the safe filename encoding
- [Site Export 2023-07-07 von i-net software](#)
exports the dokuwiki site in the given format
- [smtp plugin 2023-04-03 von Andreas Gohr](#)
Send mails via a configured SMTP server
- [struct plugin 2024-07-08 von Andreas Gohr, Michael Große, Anna Dabrowska](#)
Add and query additional structured page data
- [styling plugin 2020-06-14 von Andreas Gohr](#)
Allows to edit style.ini replacements
- [Tag Plugin 2023-10-17 von Michael Hamann, Gina Häussge, Christopher Smith, Michael Klier, Esther Brunner](#)
tag wiki pages
- [templatepagename plugin 2024-02-08 von Gerrit Uitslag \(previous: Martin\)](#)
Set a default template page name
- [ToDo 2024-05-10 von Leo Eibler, Christian Marg, Markus Gschwendt, Robert Weinmeister](#)
Create a checkbox based todo list with optional user assignment (basic syntax: <todo>This is a ToDo</todo>). It can also be used as a lightweight task list management system.
- [Video Sharing Site Plugin 2024-03-24 von Andreas Gohr](#)
Easily embed videos from various Video Sharing sites. Example: {{youtube>XXXXXX}}
- [Wrap Plugin 2023-08-13 von Anika Henke](#)
Universal plugin which combines functionalities of many other plugins. Wrap wiki text inside containers (divs or spans) and give them a class (choose from a variety of preset classes), a width and/or a language with its associated text direction.

~~INFO:rendererplugins~~

- [Dw2Pdf plugin 2023-11-25 von Andreas Gohr and Luigi Micco](#)
DokuWiki to PDF converter
- [EditTable plugin 2023-01-14 von Andreas Gohr](#)
Provide a custom editor for tables
- [Quality Control Plugin 2024-05-02 von Andreas Gohr](#)
Check the page structure for quality problems
- [Reveal.js Slideshow Plugin 2020-05-27 von Emmanuel Klinger, Ottmar Gobrecht](#)
Display a Wiki page as Reveal.js slideshow presentation
- [Site Export 2023-07-07 von i-net software](#)
exports the dokuwiki site in the given format
- [struct plugin 2024-07-08 von Andreas Gohr, Michael Große, Anna Dabrowska](#)
Add and query additional structured page data

~~INFO:helperplugins~~

- [authorstats plugin 2022-3-12 von George Chatzisofroniou, Constantinos Xanthopoulos](#)
Plugin that outputs statistics about the wiki's authors.
- [Bureaucracy Plugin 2023-05-16 von Andreas Gohr](#)
Create forms and generate pages or emails from them
- [cleanup plugin 2016-07-06 von Andreas Gohr](#)
Perform file cleanup in the wiki
- [discussion plugin 2021-12-31 von Michael Hamann, Gerrit Uitslag, Gina Häussge, Christopher Smith, Michael Klier, Esther Brunner, Matthias Schulte](#)
Provides discussion functionality for wiki pages
- [Extension Manager 2015-07-26 von Michael Hamann](#)

Allows managing and installing plugins and templates

- [Move plugin 2024-05-07](#) von Michael Hamann, Gary Owen, Arno Puschmann, Christoph Jähnigen
Move and rename pages and media files whilst maintaining the links.
- [multiorphan plugin 2021-12-20](#) von i-net software
Administrative GUI to find all sorts of orphaned or wanted pages and media. This works using AJAX instead of loading everything into one page.
- [newpagetemplate Plugin 2023-10-19](#) von Damien Regad, Jason Grout, Myron Turner
Load namespace-style template into new file from URL
- [Pagelist Plugin 2023-08-27](#) von Matthias Schulte, Michael Hamann, Michael Klier, Gina Häussge
Lists pages in a nice formatted way
- [Inline Page Modifier 2014-11-10](#) von Baseline IT
Allows you create structured ways pages can be modified
- [Popularity Feedback Plugin 2015-07-15](#) von Andreas Gohr
Send anonymous data about your wiki to the DokuWiki developers
- [Quality Control Plugin 2024-05-02](#) von Andreas Gohr
Check the page structure for quality problems
- [Site Export 2023-07-07](#) von i-net software
exports the dokuwiki site in the given format
- [smtp plugin 2023-04-03](#) von Andreas Gohr
Send mails via a configured SMTP server
- [sqlite plugin 2024-06-25](#) von Andreas Gohr
A helper plugin to easily access a SQLite database
- [struct plugin 2024-07-08](#) von Andreas Gohr, Michael Große, Anna Dabrowska
Add and query additional structured page data
- [Tag Plugin 2023-10-17](#) von Michael Hamann, Gina Häussge, Christopher Smith, Michael Klier, Esther Brunner
tag wiki pages
- [DokuWiki Upgrade Plugin 2024-02-06](#) von Andreas Gohr
Automatically upgrade your DokuWiki install to the most recent stable release
- [Video Sharing Site Plugin 2024-03-24](#) von Andreas Gohr
Easily embed videos from various Video Sharing sites. Example: {{youtube>XXXXXX}}
- [Wrap Plugin 2023-08-13](#) von Anika Henke
Universal plugin which combines functionalities of many other plugins. Wrap wiki text inside containers (divs or spans) and give them a class (choose from a variety of preset classes), a width and/or a language with its associated text direction.

~~INFO:helpermethods~~

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_action = plugin_load('helper', 'bureaucracy_action');
```

\$bureaucracy_action->run()

Description	Handle the user input
--------------------	-----------------------

Parameters	fields	helper_plugin_bureaucracy_field[]
	thanks	string
	argv	array
Return value	false on error, thanks message on success	bool string

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_actionmail = plugin_load('helper', 'bureaucracy_actionmail');
```

\$bureaucracy_actionmail->run()

Description	Handle the user input	
Parameters	fields	helper_plugin_bureaucracy_field[]
	thanks	string
	argv	array
Return value	false on error, thanks message on success	bool string

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_actionscript = plugin_load('helper',
'bureaucracy_actionscript');
```

\$bureaucracy_actionscript->run()

Description	Handle the user input	
Parameters	fields	helper_plugin_bureaucracy_field[]
	thanks	string
	argv	array
Return value	false on error, thanks message on success	bool string

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_actiontemplate = plugin_load('helper',
'bureaucracy_actiontemplate');
```

\$bureaucracy_actiontemplate->run()

Description	Handle the user input
--------------------	-----------------------

Parameters	fields thanks argv	helper_plugin_bureaucracy_field[] string array
Return value	false on error, thanks message on success	bool string

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_field = plugin_load('helper', 'bureaucracy_field');
```

\$bureaucracy_field->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_field->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_field->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_field->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_field->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_field->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_field->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldaddpage = plugin_load('helper',
'bureaucracy_fieldaddpage');
```

\$bureaucracy_fieldaddpage->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldaddpage->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldaddpage->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldaddpage->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldaddpage->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldaddpage->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldaddpage->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddate = plugin_load('helper', 'bureaucracy_fielddate');
```

\$bureaucracy_fielddate->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fielddate->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fielddate->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fielddate->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fielddate->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fielddate->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fielddate->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldemail = plugin_load('helper', 'bureaucracy_fieldemail');
```

\$bureaucracy_fieldemail->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldemail->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldemail->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldemail->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldemail->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldemail->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldemail->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldfieldset = plugin_load('helper',
'bureaucracy_fieldfieldset');
```

\$bureaucracy_fieldfieldset->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldfieldset->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldfieldset->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldfieldset->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldfieldset->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldfieldset->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldfieldset->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldfile = plugin_load('helper', 'bureaucracy_fieldfile');
```

\$bureaucracy_fieldfile->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldfile->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldfile->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldfile->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldfile->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldfile->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldfile->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldhidden = plugin_load('helper', 'bureaucracy_fieldhidden');
```

\$bureaucracy_fieldhidden->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldhidden->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldhidden->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldhidden->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldhidden->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldhidden->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldhidden->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldhiddenautoinc = plugin_load('helper',
'bureaucracy_fieldhiddenautoinc');
```

\$bureaucracy_fieldhiddenautoinc->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldhiddenautoinc->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldhiddenautoinc->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldhiddenautoinc->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldhiddenautoinc->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldhiddenautoinc->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldhiddenautoinc->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldmultiselect = plugin_load('helper',
'bureaucracy_fieldmultiselect');
```

\$bureaucracy_fieldmultiselect->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldmultiselect->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldmultiselect->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldmultiselect->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldmultiselect->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldmultiselect->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldmultiselect->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldnumber = plugin_load('helper', 'bureaucracy_fieldnumber');
```

\$bureaucracy_fieldnumber->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldnumber->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldnumber->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldnumber->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldnumber->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldnumber->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldnumber->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldonoff = plugin_load('helper', 'bureaucracy_fieldonoff');
```

\$bureaucracy_fieldonoff->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldonoff->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldonoff->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldonoff->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldonoff->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldonoff->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldonoff->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldpassword = plugin_load('helper',
'bureaucracy_fieldpassword');
```

\$bureaucracy_fieldpassword->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldpassword->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldpassword->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldpassword->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldpassword->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldpassword->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldpassword->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldradio = plugin_load('helper', 'bureaucracy_fieldradio');
```

\$bureaucracy_fieldradio->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldradio->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldradio->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldradio->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldradio->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldradio->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldradio->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldselect = plugin_load('helper', 'bureaucracy_fieldselect');
```

\$bureaucracy_fieldselect->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldselect->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldselect->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldselect->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldselect->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldselect->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldselect->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldstatic = plugin_load('helper', 'bureaucracy_fieldstatic');
```

\$bureaucracy_fieldstatic->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldstatic->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldstatic->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldstatic->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldstatic->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldstatic->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldstatic->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldsubject = plugin_load('helper',
'bureaucracy_fieldsubject');
```

\$bureaucracy_fieldsubject->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldsubject->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldsubject->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldsubject->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldsubject->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldsubject->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldsubject->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldsubmit = plugin_load('helper', 'bureaucracy_fieldsubmit');
```

\$bureaucracy_fieldsubmit->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldsubmit->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldsubmit->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldsubmit->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldsubmit->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldsubmit->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldsubmit->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldtextarea = plugin_load('helper',
'bureaucracy_fieldtextarea');
```

\$bureaucracy_fieldtextarea->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldtextarea->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldtextarea->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldtextarea->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldtextarea->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldtextarea->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldtextarea->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldtextbox = plugin_load('helper',
'bureaucracy_fieldtextbox');
```

\$bureaucracy_fieldtextbox->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldtextbox->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldtextbox->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldtextbox->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldtextbox->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldtextbox->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldtextbox->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldtime = plugin_load('helper', 'bureaucracy_fieldtime');
```

\$bureaucracy_fieldtime->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldtime->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldtime->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldtime->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldtime->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldtime->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldtime->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldusemailtemplate = plugin_load('helper',
'bureaucracy_fieldusemailtemplate');
```

\$bureaucracy_fieldusemailtemplate->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldusemailtemplate->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldusemailtemplate->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldusemailtemplate->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldusemailtemplate->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldusemailtemplate->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldusemailtemplate->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielduser = plugin_load('helper', 'bureaucracy_fielduser');
```

\$bureaucracy_fielduser->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fielduser->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fielduser->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fielduser->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fielduser->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fielduser->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fielduser->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldusers = plugin_load('helper', 'bureaucracy_fieldusers');
```

\$bureaucracy_fieldusers->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldusers->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldusers->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldusers->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldusers->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldusers->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldusers->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldwiki = plugin_load('helper', 'bureaucracy_fieldwiki');
```

\$bureaucracy_fieldwiki->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldwiki->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldwiki->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldwiki->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldwiki->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldwiki->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldwiki->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldyesno = plugin_load('helper', 'bureaucracy_fieldyesno');
```

\$bureaucracy_fieldyesno->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldyesno->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_fieldyesno->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isValid	bool

\$bureaucracy_fieldyesno->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldyesno->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldyesno->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldyesno->after_action()

Description	Executed after performing the action hooks
--------------------	--

discussion plugin

Provides discussion functionality for wiki pages

```
$discussion = plugin_load('helper', 'discussion');
```

\$discussion->th()

Description	returns the header of the comments column for pagelist	
Return value	header	string

\$discussion->td()

Description	returns the link to the discussion section with number of comments	
Parameters	id	string
	number of comments (optional)	integer
Return value	link	string

\$discussion->getThreads()

Description	returns pages with discussion sections, sorted by recent comments	
Parameters	namespace	string
	number (optional)	integer
Return value	pages	array

\$discussion->getComments()

Description	returns recently added or edited comments individually	
Parameters	namespace	string
	number (optional)	integer
Return value	pages	array

\$discussion->isDiscussionModerator()

Description	check if current user is member of moderator groups	
Return value	isModerator	boolean

multiorphan plugin

Administrative GUI to find all sorts of orphaned or wanted pages and media. This works using AJAX instead of loading everything into one page.

```
$multiorphan = plugin_load('helper', 'multiorphan');
```

\$multiorphan->getThreads()

Description	returns pages with discussion sections, sorted by recent comments	
Parameters	namespace	string
	number (optional)	integer
Return value	pages	array

\$multiorphan->()

Description	
--------------------	--

Pagelist Plugin

Lists pages in a nice formatted way

```
$pagelist = plugin_load('helper', 'pagelist');
```

\$pagelist->addColumn()

Description	(optional) adds an extra column for plugin data	
Parameters	plugin name	string
	column key	string

\$pagelist->modifyColumn()

Description	(optional) override value of an existing column, value equal to false disables column	
Parameters	column key	string
	value	int bool

\$pagelist->setHeader()

Description	(optional) Provide header data, if not given default values or [plugin]->th() is used	
Parameters	column key	string
	value	int bool

\$pagelist->setFlags()

Description	(optional) overrides default flags, or en/disable existing columns	
Parameters	flags	array
Return value	success	boolean

\$pagelist->startList()

Description	(required) prepares the table header for the page list
--------------------	--

\$pagelist->addPage()

Description	(required) adds a page to the list	
Parameters	page attributes, 'id' required, others optional	array

\$pagelist->finishList()

Description	(required) returns the XHTML output	
Return value	xhtml	string

Inline Page Modifier

Allows you create structured ways pages can be modified

```
$pagemod_pagemod = plugin_load('helper', 'pagemod_pagemod');
```

\$pagemod_pagemod->run()

Description	Handle the user input	
Parameters	fields	helper_plugin_bureaucracy_field[]
	thanks	string
	argv	array
Return value	false on error, thanks message on success	bool string

Tag Plugin

tag wiki pages

```
$tag = plugin_load('helper', 'tag');
```

\$tag->overrideSortFlags()

Description	takes an array of sortflags and overrides predefined value	
Parameters	name	string

\$tag->th()

Description	returns the header for the tags column for pagelist	
Return value	header	string

\$tag->td()

Description	returns the tag links of a given page	
Parameters	id	string
Return value	links	string

\$tag->tagLinks()

Description	generates tag links for given words	
Parameters	tags	array
Return value	links	string

\$tag->getTopic()

Description	returns a list of pages tagged with the given keyword	
Parameters	namespace (optional)	string
	number (not used)	integer
	tag (required)	string
Return value	pages	array

\$tag->tagRefine()

Description	refines an array of pages with tags	
Parameters	pages to refine	array
	refinement tags	string
Return value	pages	array

\$tag->tagOccurrences()

Description	returns a list of tags with their number of occurrences	
Parameters	list of tags to get the occurrences for	array
	namespaces to which the search shall be restricted	array
	if all tags shall be returned (then the first parameter is ignored)	boolean
	if the namespaces shall be searched recursively	boolean
Return value	tags	array

From:

<https://wiki.satware.com/> - satware AG



Permanent link:

<https://wiki.satware.com/wiki:plugins?rev=1442991337>

Last update: **23.09.2015 08:55**