

Inhaltsverzeichnis

- Info Plugin** 7
 - ~~INFO:syntaxmodes~~ 7
 - ~~INFO:syntaxtypes~~ 11
 - ~~INFO:syntaxplugins~~ 11
 - ~~INFO:adminplugins~~ 13
 - ~~INFO:actionplugins~~ 14
 - ~~INFO:rendererplugins~~ 16
 - ~~INFO:helperplugins~~ 16
 - ~~INFO:helpermethods~~ 17
- Bureaucracy Plugin** 17
 - \$bureaucracy_action->run() 17
- Bureaucracy Plugin** 17
 - \$bureaucracy_actionmail->run() 17
- Bureaucracy Plugin** 18
 - \$bureaucracy_actionscript->run() 18
- Bureaucracy Plugin** 18
 - \$bureaucracy_actiontemplate->run() 18
- Bureaucracy Plugin** 18
 - \$bureaucracy_field->initialize() 18
 - \$bureaucracy_field->renderfield() 19
 - \$bureaucracy_field->handle_post() 19
 - \$bureaucracy_field->getFieldType() 19
 - \$bureaucracy_field->isSet_() 19
 - \$bureaucracy_field->getParam() 19
 - \$bureaucracy_field->after_action() 19
- Bureaucracy Plugin** 19
 - \$bureaucracy_fieldaddpage->initialize() 19
 - \$bureaucracy_fieldaddpage->renderfield() 20
 - \$bureaucracy_fieldaddpage->handle_post() 20
 - \$bureaucracy_fieldaddpage->getFieldType() 20
 - \$bureaucracy_fieldaddpage->isSet_() 20
 - \$bureaucracy_fieldaddpage->getParam() 20
 - \$bureaucracy_fieldaddpage->after_action() 20
- Bureaucracy Plugin** 20
 - \$bureaucracy_fielddate->initialize() 20
 - \$bureaucracy_fielddate->renderfield() 21
 - \$bureaucracy_fielddate->handle_post() 21
 - \$bureaucracy_fielddate->getFieldType() 21
 - \$bureaucracy_fielddate->isSet_() 21
 - \$bureaucracy_fielddate->getParam() 21
 - \$bureaucracy_fielddate->after_action() 21
- Bureaucracy Plugin** 21
 - \$bureaucracy_fieldemail->initialize() 21
 - \$bureaucracy_fieldemail->renderfield() 22
 - \$bureaucracy_fieldemail->handle_post() 22
 - \$bureaucracy_fieldemail->getFieldType() 22
 - \$bureaucracy_fieldemail->isSet_() 22
 - \$bureaucracy_fieldemail->getParam() 22

- \$bureaucracy_fieldemail->after_action() 22
- Bureaucracy Plugin** 22
- \$bureaucracy_fieldfieldset->initialize() 22
- \$bureaucracy_fieldfieldset->renderfield() 23
- \$bureaucracy_fieldfieldset->handle_post() 23
- \$bureaucracy_fieldfieldset->getFieldType() 23
- \$bureaucracy_fieldfieldset->isSet_() 23
- \$bureaucracy_fieldfieldset->getParam() 23
- \$bureaucracy_fieldfieldset->after_action() 23
- Bureaucracy Plugin** 23
- \$bureaucracy_fieldfile->initialize() 23
- \$bureaucracy_fieldfile->renderfield() 24
- \$bureaucracy_fieldfile->handle_post() 24
- \$bureaucracy_fieldfile->getFieldType() 24
- \$bureaucracy_fieldfile->isSet_() 24
- \$bureaucracy_fieldfile->getParam() 24
- \$bureaucracy_fieldfile->after_action() 24
- Bureaucracy Plugin** 24
- \$bureaucracy_fieldhidden->initialize() 24
- \$bureaucracy_fieldhidden->renderfield() 25
- \$bureaucracy_fieldhidden->handle_post() 25
- \$bureaucracy_fieldhidden->getFieldType() 25
- \$bureaucracy_fieldhidden->isSet_() 25
- \$bureaucracy_fieldhidden->getParam() 25
- \$bureaucracy_fieldhidden->after_action() 25
- Bureaucracy Plugin** 25
- \$bureaucracy_fieldhiddenautoinc->initialize() 25
- \$bureaucracy_fieldhiddenautoinc->renderfield() 26
- \$bureaucracy_fieldhiddenautoinc->handle_post() 26
- \$bureaucracy_fieldhiddenautoinc->getFieldType() 26
- \$bureaucracy_fieldhiddenautoinc->isSet_() 26
- \$bureaucracy_fieldhiddenautoinc->getParam() 26
- \$bureaucracy_fieldhiddenautoinc->after_action() 26
- Bureaucracy Plugin** 26
- \$bureaucracy_fieldmultiselect->initialize() 26
- \$bureaucracy_fieldmultiselect->renderfield() 27
- \$bureaucracy_fieldmultiselect->handle_post() 27
- \$bureaucracy_fieldmultiselect->getFieldType() 27
- \$bureaucracy_fieldmultiselect->isSet_() 27
- \$bureaucracy_fieldmultiselect->getParam() 27
- \$bureaucracy_fieldmultiselect->after_action() 27
- Bureaucracy Plugin** 27
- \$bureaucracy_fieldnumber->initialize() 27
- \$bureaucracy_fieldnumber->renderfield() 28
- \$bureaucracy_fieldnumber->handle_post() 28
- \$bureaucracy_fieldnumber->getFieldType() 28
- \$bureaucracy_fieldnumber->isSet_() 28
- \$bureaucracy_fieldnumber->getParam() 28
- \$bureaucracy_fieldnumber->after_action() 28
- Bureaucracy Plugin** 28
- \$bureaucracy_fielddonoff->initialize() 28

- \$bureaucracy_fieldonoff->renderfield() 29
- \$bureaucracy_fieldonoff->handle_post() 29
- \$bureaucracy_fieldonoff->getFieldType() 29
- \$bureaucracy_fieldonoff->isSet_() 29
- \$bureaucracy_fieldonoff->getParam() 29
- \$bureaucracy_fieldonoff->after_action() 29
- Bureaucracy Plugin** 29
- \$bureaucracy_fieldpassword->initialize() 29
- \$bureaucracy_fieldpassword->renderfield() 30
- \$bureaucracy_fieldpassword->handle_post() 30
- \$bureaucracy_fieldpassword->getFieldType() 30
- \$bureaucracy_fieldpassword->isSet_() 30
- \$bureaucracy_fieldpassword->getParam() 30
- \$bureaucracy_fieldpassword->after_action() 30
- Bureaucracy Plugin** 30
- \$bureaucracy_fieldradio->initialize() 30
- \$bureaucracy_fieldradio->renderfield() 31
- \$bureaucracy_fieldradio->handle_post() 31
- \$bureaucracy_fieldradio->getFieldType() 31
- \$bureaucracy_fieldradio->isSet_() 31
- \$bureaucracy_fieldradio->getParam() 31
- \$bureaucracy_fieldradio->after_action() 31
- Bureaucracy Plugin** 31
- \$bureaucracy_fieldselect->initialize() 31
- \$bureaucracy_fieldselect->renderfield() 32
- \$bureaucracy_fieldselect->handle_post() 32
- \$bureaucracy_fieldselect->getFieldType() 32
- \$bureaucracy_fieldselect->isSet_() 32
- \$bureaucracy_fieldselect->getParam() 32
- \$bureaucracy_fieldselect->after_action() 32
- Bureaucracy Plugin** 32
- \$bureaucracy_fieldstatic->initialize() 32
- \$bureaucracy_fieldstatic->renderfield() 33
- \$bureaucracy_fieldstatic->handle_post() 33
- \$bureaucracy_fieldstatic->getFieldType() 33
- \$bureaucracy_fieldstatic->isSet_() 33
- \$bureaucracy_fieldstatic->getParam() 33
- \$bureaucracy_fieldstatic->after_action() 33
- Bureaucracy Plugin** 33
- \$bureaucracy_fieldsubject->initialize() 33
- \$bureaucracy_fieldsubject->renderfield() 34
- \$bureaucracy_fieldsubject->handle_post() 34
- \$bureaucracy_fieldsubject->getFieldType() 34
- \$bureaucracy_fieldsubject->isSet_() 34
- \$bureaucracy_fieldsubject->getParam() 34
- \$bureaucracy_fieldsubject->after_action() 34
- Bureaucracy Plugin** 34
- \$bureaucracy_fieldsubmit->initialize() 34
- \$bureaucracy_fieldsubmit->renderfield() 35
- \$bureaucracy_fieldsubmit->handle_post() 35
- \$bureaucracy_fieldsubmit->getFieldType() 35

- \$bureaucracy_fieldsubmit->isSet_() 35
- \$bureaucracy_fieldsubmit->getParam() 35
- \$bureaucracy_fieldsubmit->after_action() 35
- Bureaucracy Plugin** 35
- \$bureaucracy_fieldtextarea->initialize() 35
- \$bureaucracy_fieldtextarea->renderfield() 36
- \$bureaucracy_fieldtextarea->handle_post() 36
- \$bureaucracy_fieldtextarea->getFieldType() 36
- \$bureaucracy_fieldtextarea->isSet_() 36
- \$bureaucracy_fieldtextarea->getParam() 36
- \$bureaucracy_fieldtextarea->after_action() 36
- Bureaucracy Plugin** 36
- \$bureaucracy_fieldtextbox->initialize() 36
- \$bureaucracy_fieldtextbox->renderfield() 37
- \$bureaucracy_fieldtextbox->handle_post() 37
- \$bureaucracy_fieldtextbox->getFieldType() 37
- \$bureaucracy_fieldtextbox->isSet_() 37
- \$bureaucracy_fieldtextbox->getParam() 37
- \$bureaucracy_fieldtextbox->after_action() 37
- Bureaucracy Plugin** 37
- \$bureaucracy_fieldtime->initialize() 37
- \$bureaucracy_fieldtime->renderfield() 38
- \$bureaucracy_fieldtime->handle_post() 38
- \$bureaucracy_fieldtime->getFieldType() 38
- \$bureaucracy_fieldtime->isSet_() 38
- \$bureaucracy_fieldtime->getParam() 38
- \$bureaucracy_fieldtime->after_action() 38
- Bureaucracy Plugin** 38
- \$bureaucracy_fieldusemailtemplate->initialize() 38
- \$bureaucracy_fieldusemailtemplate->renderfield() 39
- \$bureaucracy_fieldusemailtemplate->handle_post() 39
- \$bureaucracy_fieldusemailtemplate->getFieldType() 39
- \$bureaucracy_fieldusemailtemplate->isSet_() 39
- \$bureaucracy_fieldusemailtemplate->getParam() 39
- \$bureaucracy_fieldusemailtemplate->after_action() 39
- Bureaucracy Plugin** 39
- \$bureaucracy_fielduser->initialize() 39
- \$bureaucracy_fielduser->renderfield() 40
- \$bureaucracy_fielduser->handle_post() 40
- \$bureaucracy_fielduser->getFieldType() 40
- \$bureaucracy_fielduser->isSet_() 40
- \$bureaucracy_fielduser->getParam() 40
- \$bureaucracy_fielduser->after_action() 40
- Bureaucracy Plugin** 40
- \$bureaucracy_fieldusers->initialize() 40
- \$bureaucracy_fieldusers->renderfield() 41
- \$bureaucracy_fieldusers->handle_post() 41
- \$bureaucracy_fieldusers->getFieldType() 41
- \$bureaucracy_fieldusers->isSet_() 41
- \$bureaucracy_fieldusers->getParam() 41
- \$bureaucracy_fieldusers->after_action() 41

- Bureaucracy Plugin** 41
 - \$bureaucracy_fieldwiki->initialize() 41
 - \$bureaucracy_fieldwiki->renderfield() 42
 - \$bureaucracy_fieldwiki->handle_post() 42
 - \$bureaucracy_fieldwiki->getFieldType() 42
 - \$bureaucracy_fieldwiki->isSet_() 42
 - \$bureaucracy_fieldwiki->getParam() 42
 - \$bureaucracy_fieldwiki->after_action() 42
- Bureaucracy Plugin** 42
 - \$bureaucracy_fielddyesno->initialize() 42
 - \$bureaucracy_fielddyesno->renderfield() 43
 - \$bureaucracy_fielddyesno->handle_post() 43
 - \$bureaucracy_fielddyesno->getFieldType() 43
 - \$bureaucracy_fielddyesno->isSet_() 43
 - \$bureaucracy_fielddyesno->getParam() 43
 - \$bureaucracy_fielddyesno->after_action() 43
- discussion plugin** 43
 - \$discussion->th() 43
 - \$discussion->td() 44
 - \$discussion->getThreads() 44
 - \$discussion->getComments() 44
 - \$discussion->isDiscussionModerator() 44
- multiorphan plugin** 44
 - \$multiorphan->getThreads() 44
 - \$multiorphan->() 44
- Pagelist Plugin** 44
 - \$pagelist->addColumn() 45
 - \$pagelist->modifyColumn() 45
 - \$pagelist->setHeader() 45
 - \$pagelist->setFlags() 45
 - \$pagelist->startList() 45
 - \$pagelist->addPage() 45
 - \$pagelist->finishList() 45
- Inline Page Modifier** 45
 - \$pagemod_pagemod->run() 45
- Tag Plugin** 46
 - \$tag->overrideSortFlags() 46
 - \$tag->th() 46
 - \$tag->td() 46
 - \$tag->tagLinks() 46
 - \$tag->getTopic() 46
 - \$tag->tagRefine() 46
 - \$tag->tagOccurrences() 47

Plugin URL	Installiert	Bemerkung
https://www.dokuwiki.org/plugin:imgpaste		
https://www.dokuwiki.org/plugin:info		

Info Plugin

~~INFO:syntaxmodes~~

plugin_bpmnio_bpmnio	0
listblock	10
preformatted	20
notoc	30
plugin_revealjs_background	32
plugin_revealjs_footer	
plugin_revealjs_fragmentblock	
plugin_revealjs_header	
plugin_revealjs_notes	
plugin_revealjs_theme	33
plugin_revealjs_fragment	
plugin_dw2pdf_pagesetting	40
nocache	
plugin_dw2pdf_exportlink	41
plugin_qna_header	50
header	
plugin_qna_block	55
plugin_qna_toc	
table	60
strong	70
emphasis	80
underline	90
plugin_bootswrapper_macros	99
plugin_siteexport_toc	100
monospace	
plugin_changes	105
subscript	110
superscript	120
deleted	130
plugin_indexmenu_indexmenu	138
plugin_indexmenu_tag	139
linebreak	140
plugin_mermaid	150
plugin_qc	
footnote	
plugin_struct_cloud	151

plugin_bureaucracy	
plugin_info	
plugin_struct_filter	
plugin_struct_global	
plugin_struct_list	155
plugin_struct_output	
plugin_struct_serial	
plugin_struct_table	
plugin_vshare_debug	
plugin_color	158
plugin_vshare_video	159
hr	160
plugin_doodle3	
plugin_pagelist	168
unformatted	170
plugin_nspages	189


plugin_bootstrapwrapper_accordion	195
plugin_bootstrapwrapper_affix	
plugin_bootstrapwrapper_alert	
plugin_bootstrapwrapper_badge	
plugin_bootstrapwrapper_bootstrap	
plugin_bootstrapwrapper_button	
plugin_bootstrapwrapper_callout	
plugin_bootstrapwrapper_caption	
plugin_bootstrapwrapper_carousel	
plugin_bootstrapwrapper_collapse	
plugin_bootstrapwrapper_column	
plugin_bootstrapwrapper_grid	
plugin_bootstrapwrapper_hidden	
plugin_bootstrapwrapper_image	
plugin_bootstrapwrapper_invisible	
plugin_bootstrapwrapper_jumbotron	
plugin_bootstrapwrapper_label	
plugin_bootstrapwrapper_lead	
plugin_bootstrapwrapper_list	
plugin_bootstrapwrapper_modal	
plugin_bootstrapwrapper_nav	
plugin_bootstrapwrapper_pageheader	
plugin_bootstrapwrapper_pane	
plugin_bootstrapwrapper_panel	
plugin_bootstrapwrapper_panelbody	
plugin_bootstrapwrapper_pills	
plugin_bootstrapwrapper_popover	
plugin_bootstrapwrapper_progress	
plugin_bootstrapwrapper_progressbar	
plugin_bootstrapwrapper_row	
plugin_bootstrapwrapper_show	
plugin_bootstrapwrapper_slide	
plugin_bootstrapwrapper_tabs	
plugin_bootstrapwrapper_text	
plugin_bootstrapwrapper_thumbnail	
plugin_bootstrapwrapper_tooltip	
plugin_bootstrapwrapper_well	
plugin_bootstrapwrapper_wrapper	
plugin_datatables	
plugin_wrap_closesection	
plugin_wrap_div	
plugin_wrap_divblock	
plugin_wrap_divwrap	
plugin_wrap_span	
plugin_wrap_spaninline	
plugin_wrap_spanwrap	

plugin_addnewpage	199
plugin_plantumlparser_injector	
code	200
file	210
quote	220
plugin_discussion_comments	230
smiley	
acronym	240
plugin_todo_list	250
entity	260
plugin_tag_searchtags	295
plugin_tag_topic	
plugin_icons_breeze	299
plugin_icons_fa	
plugin_icons_fl	
plugin_icons_flag	
plugin_icons_fugue	
plugin_icons_glyphicon	
plugin_icons_icon	
plugin_icons_material	
plugin_icons_mdi	
plugin_icons_oxygen	
plugin_icons_ra	
plugin_icons_silk	
plugin_icons_tycpn	
plugin_siteexport_aggregate	
plugin_siteexport_siteexport	
internallink	
plugin_tag_count	305
plugin_tag_tag	
plugin_tag_tagpage	
plugin_discussion_threads	306
rss	310
plugin_struct_value	315
media	320
plugin_pagemod	321
externallink	330
emaillink	340
windowssharelink	350
eol	370
plugin_authorstats	371
plugin_keyboard	444
plugin_siteexport_toctools	999
plugin_todo_todo	

~~INFO:syntaxtypes~~

container	listblock, table, quote, hr, plugin_datatables, plugin_mermaid, plugin_qna_block, plugin_qna_toc, plugin_revealjs_fragment
baseonly	header, plugin_qna_header
formatting	strong, emphasis, underline, monospace, subscript, superscript, deleted, footnote, plugin_bootswrapper_accordion, plugin_bootswrapper_affix, plugin_bootswrapper_alert, plugin_bootswrapper_badge, plugin_bootswrapper_bootstrap, plugin_bootswrapper_button, plugin_bootswrapper_callout, plugin_bootswrapper_caption, plugin_bootswrapper_carousel, plugin_bootswrapper_collapse, plugin_bootswrapper_column, plugin_bootswrapper_grid, plugin_bootswrapper_hidden, plugin_bootswrapper_image, plugin_bootswrapper_invisible, plugin_bootswrapper_jumbotron, plugin_bootswrapper_label, plugin_bootswrapper_lead, plugin_bootswrapper_list, plugin_bootswrapper_modal, plugin_bootswrapper_nav, plugin_bootswrapper_pageheader, plugin_bootswrapper_pane, plugin_bootswrapper_panel, plugin_bootswrapper_panelbody, plugin_bootswrapper_pills, plugin_bootswrapper_popover, plugin_bootswrapper_progress, plugin_bootswrapper_progressbar, plugin_bootswrapper_row, plugin_bootswrapper_show, plugin_bootswrapper_slide, plugin_bootswrapper_tabs, plugin_bootswrapper_text, plugin_bootswrapper_thumbnail, plugin_bootswrapper_tooltip, plugin_bootswrapper_well, plugin_bootswrapper_wrapper, plugin_color, plugin_keyboard, plugin_wrap_div, plugin_wrap_divblock, plugin_wrap_divwrap, plugin_wrap_span, plugin_wrap_spaninline, plugin_wrap_spanwrap
substitution	acronym, smiley, wordblock, entity, camelcaselink, internallink, media, externallink, linebreak, emailink, windowssharelink, filelink, notoc, nocache, multiplyentity, quotes, rss, plugin_addnewpage, plugin_authorstats, plugin_bootswrapper_macros, plugin_bureaucracy, plugin_changes, plugin_discussion_comments, plugin_discussion_threads, plugin_doodle3, plugin_dw2pdf_exportlink, plugin_dw2pdf_pagesetting, plugin_icons_breeze, plugin_icons_fa, plugin_icons_fl, plugin_icons_flag, plugin_icons_fugue, plugin_icons_glyphicon, plugin_icons_icon, plugin_icons_material, plugin_icons_mdi, plugin_icons_oxygen, plugin_icons_ra, plugin_icons_silk, plugin_icons_tycn, plugin_indexmenu_indexmenu, plugin_indexmenu_tag, plugin_info, plugin_nspages, plugin_pagelist, plugin_pagemod, plugin_plantumlparser_injector, plugin_qc, plugin_revealjs_background, plugin_revealjs_footer, plugin_revealjs_fragmentblock, plugin_revealjs_header, plugin_revealjs_notes, plugin_revealjs_theme, plugin_siteexport_aggregate, plugin_siteexport_siteexport, plugin_siteexport_toctools, plugin_struct_cloud, plugin_struct_filter, plugin_struct_global, plugin_struct_list, plugin_struct_output, plugin_struct_serial, plugin_struct_table, plugin_struct_value, plugin_tag_count, plugin_tag_searchtags, plugin_tag_tag, plugin_tag_tagpage, plugin_tag_topic, plugin_todo_list, plugin_todo_todo, plugin_vshare_debug, plugin_vshare_video, plugin_wrap_closesection
protected	preformatted, code, file, plugin_bpmnio_bpmnio, plugin_siteexport_toc
disabled	unformatted
paragraphs	eol

'Substitution' may look like a typo, but it's not (any more). It's transformed into the "standard". See .

[this footnote](#) for an explanation. 

~~INFO:syntaxplugins~~

- [Add New Page plugin 2025-09-21](#) von [Damien Regad](#), [Benjamin Santalucia](#), [Sam Wilson](#) and other contributors

- Adds a "new page form" to any wiki page.
- [authorstats plugin](#) 2022-3-12 von [George Chatzisoifroniou](#), [Constantinos Xanthopoulos](#)
Plugin that outputs statistics about the wiki's authors.
 - [Bootstrap Wrapper Plugin](#) 2022-09-22 von [Giuseppe Di Terlizzi](#)
Bootstrap Wrapper for DokuWiki
 - [BPMN.io Plugin](#) 2025-10-15 von [Jaap de Haan](#)
Renders BPMN or DMN xml using the bpmn.io js library
 - [Bureaucracy Plugin](#) 2025-03-06 von [Andreas Gohr](#)
Create forms and generate pages or emails from them
 - [Changes Plugin](#) 2023-12-14 von [Andreas Gohr](#)
List the most recent changes of the wiki
 - [color syntax plugin](#) 2022-10-19 von [Harald Hanche-Olsen](#)
Write colored text in DokuWiki.
 - [DataTables Plugin](#) 2023-08-31 von [Giuseppe Di Terlizzi](#)
Add DataTables support to DokuWiki
 - [discussion plugin](#) 2025-07-04 von [Michael Hamann](#), [Gerrit Uitslag](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#), [Matthias Schulte](#)
Provides discussion functionality for wiki pages
 - [Doodle Plugin 3](#) 2017/03/30 von [Matthias Jung](#)
helps to schedule meetings
 - [Dw2Pdf plugin](#) 2026-01-08 von [Andreas Gohr](#) and [Luigi Micco](#)
DokuWiki to PDF converter
 - [Icons Plugin](#) 2024-10-30 von [Giuseppe Di Terlizzi](#)
Embed icons in Dokuwiki
 - [Indexmenu Plugin](#) 2024-01-05 von [Samuele Tognini](#), [Gerrit Uitslag](#)
Show a customizable and sortable index for a namespace
 - [Info Plugin](#) 2020-06-04 von [Andreas Gohr](#)
Displays information about various DokuWiki internals
 - [keyboard](#) 2023-02-23 von [Gina Häußge](#)
The keyboard plugin provides a combined syntax and action plugin in order to markup text as keyboard keys, similar to (and making use of) the existing (X)HTML tag `<kbd>...</kbd>`. A quick button for the markup is automatically inserted into the toolbar of the edit form.
 - [mermaid Plugin](#) 2025-08-13 von [Robert Weinmeister](#)
JavaScript based diagramming and charting tool that renders Markdown-inspired text definitions to create and modify diagrams dynamically.
 - [nspages plugin](#) 2024-10-07 von [Guillaume Turri](#)
Presents a toc of the selected namespace using `<nspages>`
 - [Pagelist Plugin](#) 2023-08-27 von [Matthias Schulte](#), [Michael Hamann](#), [Michael Klier](#), [Gina Haeussge](#)
Lists pages in a nice formatted way
 - [Inline Page Modifier](#) 2014-11-10 von [Baseline IT](#)
Allows you create structured ways pages can be modified
 - [PlantUML Parser](#) 2023-11-02 von [Kyle Carter](#)
This plugin takes PlantUML markup from a wiki page and has it displayed in a user's browser.
 - [Quality Control Plugin](#) 2025-11-10 von [Andreas Gohr](#)
Check the page structure for quality problems
 - [QnA Plugin](#) 2023-06-18 von [Mykola Ostrovskyy](#)
Custom formatting for Q&A (FAQ) sections.
 - [Reveal.js Slideshow Plugin](#) 2020-05-27 von [Emmanuel Klinger](#), [Ottmar Gobrecht](#)
Display a Wiki page as Reveal.js slideshow presentation
 - [Site Export](#) 2026-02-19 von [i-net software](#)
exports the dokuwiki site in the given format

- [struct plugin 2025-09-24](#) von [Andreas Gohr](#), [Michael Große](#), [Anna Dabrowska](#)
Add and query additional structured page data
- [Tag Plugin 2023-10-17](#) von [Michael Hamann](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#)
tag wiki pages
- [ToDo 2025-08-26](#) von [Leo Eibler](#), [Christian Marg](#), [Markus Gschwendt](#), [Robert Weinmeister](#)
Create a checkbox based todo list with optional user assignment (basic syntax: `<todo>This is a ToDo</todo>`). It can also be used as a lightweight task list management system.
- [Video Sharing Site Plugin 2025-12-10](#) von [Andreas Gohr](#)
Easily embed videos from various Video Sharing sites. Example: `{{youtube>XXXXXX}}`
- [Wrap Plugin 2023-08-13](#) von [Anika Henke](#)
Universal plugin which combines functionalities of many other plugins. Wrap wiki text inside containers (divs or spans) and give them a class (choose from a variety of preset classes), a width and/or a language with its associated text direction.

~~INFO:adminplugins~~

- [ACL Manager 2015-07-25](#) von [Andreas Gohr](#)
Manage Page Access Control Lists
- [authorstats plugin 2022-3-12](#) von [George Chatzifroniou](#), [Constantinos Xanthopoulos](#)
Plugin that outputs statistics about the wiki's authors.
- [cleanup plugin 2016-07-06](#) von [Andreas Gohr](#)
Perform file cleanup in the wiki
- [Remove irrelevant entries from the change history 2023-01-31](#) von [Dominik Eckelmann](#)
This plugin deletes consecutive history entries that were made by the same user user within 1 hour
- [Configuration Manager 2015-07-18](#) von [Christopher Smith](#)
Manage Dokuwiki's Configuration Settings
- [discussion plugin 2025-07-04](#) von [Michael Hamann](#), [Gerrit Uitslag](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#), [Matthias Schulte](#)
Provides discussion functionality for wiki pages
- [Extension Manager 2015-07-26](#) von [Michael Hamann](#)
Allows managing and installing plugins and templates
- [Indexmenu Plugin 2024-01-05](#) von [Samuele Tognini](#), [Gerrit Uitslag](#)
Show a customizable and sortable index for a namespace
- [logviewer plugin 2023-12-22](#) von [Andreas Gohr](#)
View DokuWiki logs
- [Move plugin 2025-06-09](#) von [Michael Hamann](#), [Gary Owen](#), [Arno Puschmann](#), [Christoph Jähnigen](#)
Move and rename pages and media files whilst maintaining the links.
- [multiorphan plugin 2021-12-20](#) von [i-net software](#)
Administrative GUI to find all sorts of orphaned or wanted pages and media. This works using AJAX instead of loading everything into one page.
- [newpagetemplate Plugin 2023-10-19](#) von [Damien Regad](#), [Jason Grout](#), [Myron Turner](#)
Load namespace-style template into new file from URL
- [Popularity Feedback Plugin 2015-07-15](#) von [Andreas Gohr](#)
Send anonymous data about your wiki to the DokuWiki developers
- [Quality Control Plugin 2025-11-10](#) von [Andreas Gohr](#)
Check the page structure for quality problems
- [Revert Manager 2015-07-15](#) von [Andreas Gohr](#)
Allows you to mass revert recent edits to remove Spam or vandalism
- [Searchindex Manager 2026-02-04](#) von [Andreas Gohr](#)

- Allows to rebuild the fulltext search index
- [Site Export](#) 2026-02-19 von [i-net software](#)
exports the dokuwiki site in the given format
- [smtp plugin](#) 2025-08-27 von [Andreas Gohr](#)
Send mails via a configured SMTP server
- [sqlite plugin](#) 2025-12-01 von [Andreas Gohr](#)
A helper plugin to easily access a SQLite database
- [struct plugin](#) 2025-09-24 von [Andreas Gohr](#), [Michael Große](#), [Anna Dabrowska](#)
Add and query additional structured page data
- [styling plugin](#) 2020-06-14 von [Andreas Gohr](#)
Allows to edit style.ini replacements
- [DokuWiki Upgrade Plugin](#) 2025-12-09 von [Andreas Gohr](#)
Automatically upgrade your DokuWiki install to the most recent stable release
- [User Manager](#) 2015-07-15 von [Chris Smith](#)
Manage DokuWiki user accounts

~~INFO:actionplugins~~

- [ACL Manager](#) 2015-07-25 von [Andreas Gohr](#)
Manage Page Access Control Lists
- [authorstats plugin](#) 2022-3-12 von [George Chatzifroniou](#), [Constantinos Xanthopoulos](#)
Plugin that outputs statistics about the wiki's authors.
- [Bootstrap Wrapper Plugin](#) 2022-09-22 von [Giuseppe Di Terlizzi](#)
Bootstrap Wrapper for DokuWiki
- [BPMN.io Plugin](#) 2025-10-15 von [Jaap de Haan](#)
Renders BPMN or DMN xml using the bpmn.io js library
- [Bureaucracy Plugin](#) 2025-03-06 von [Andreas Gohr](#)
Create forms and generate pages or emails from them
- [Changes Plugin](#) 2023-12-14 von [Andreas Gohr](#)
List the most recent changes of the wiki
- [cleanup plugin](#) 2016-07-06 von [Andreas Gohr](#)
Perform file cleanup in the wiki
- [Remove irrelevant entries from the change history](#) 2023-01-31 von [Dominik Eckelmann](#)
This plugin deletes consecutive history entries that were made by the same user user within 1 hour
- [CodeMirror plugin](#) 2020-09-05 von [Albert Gasset \(fix by CosmoCode\)](#)
Editor with syntax highlighting
- [DataTables Plugin](#) 2023-08-31 von [Giuseppe Di Terlizzi](#)
Add DataTables support to DokuWiki
- [discussion plugin](#) 2025-07-04 von [Michael Hamann](#), [Gerrit Uitslag](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#), [Matthias Schulte](#)
Provides discussion functionality for wiki pages
- [Dw2Pdf plugin](#) 2026-01-08 von [Andreas Gohr](#) and [Luigi Micco](#)
DokuWiki to PDF converter
- [EditTable plugin](#) 2023-01-14 von [Andreas Gohr](#)
Provide a custom editor for tables
- [Extension Manager](#) 2015-07-26 von [Michael Hamann](#)
Allows managing and installing plugins and templates
- [Icons Plugin](#) 2024-10-30 von [Giuseppe Di Terlizzi](#)
Embed icons in Dokuwiki
- [imgpaste plugin](#) 2025-11-20 von [Andreas Gohr](#)

- Add images via cut'n'paste in Chrome
- [Indexmenu Plugin](#) 2024-01-05 von [Samuele Tognini](#), [Gerrit Uitslag](#)
Show a customizable and sortable index for a namespace
 - [keyboard](#) 2023-02-23 von [Gina Häußge](#)
The keyboard plugin provides a combined syntax and action plugin in order to markup text as keyboard keys, similar to (and making use of) the existing (X)HTML tag `<kbd>...</kbd>`. A quick button for the markup is automatically inserted into the toolbar of the edit form.
 - [logviewer plugin](#) 2023-12-22 von [Andreas Gohr](#)
View DokuWiki logs
 - [mermaid Plugin](#) 2025-08-13 von [Robert Weinmeister](#)
JavaScript based diagramming and charting tool that renders Markdown-inspired text definitions to create and modify diagrams dynamically.
 - [Move plugin](#) 2025-06-09 von [Michael Hamann](#), [Gary Owen](#), [Arno Puschmann](#), [Christoph Jähnigen](#)
Move and rename pages and media files whilst maintaining the links.
 - [multiorphan plugin](#) 2021-12-20 von [i-net software](#)
Administrative GUI to find all sorts of orphaned or wanted pages and media. This works using AJAX instead of loading everything into one page.
 - [newpagetemplate](#) 2007-02-24 von [Jason Grout](#), [Myron Turner](#)
Loads into the new page creation box a template specified in the `$_REQUEST` "newpagetemplate" parameter (i.e., can be passed in the URL or as a form value).
 - [nspages plugin](#) 2024-10-07 von [Guillaume Turri](#)
Presents a toc of the selected namespace using `<nspages>`
 - [PlantUML Parser](#) 2023-11-02 von [Kyle Carter](#)
This plugin takes PlantUML markup from a wiki page and has it displayed in a user's browser.
 - [Popularity Feedback Plugin](#) 2015-07-15 von [Andreas Gohr](#)
Send anonymous data about your wiki to the DokuWiki developers
 - [Quality Control Plugin](#) 2025-11-10 von [Andreas Gohr](#)
Check the page structure for quality problems
 - [QnA Plugin](#) 2023-06-18 von [Mykola Ostrovskyy](#)
Custom formatting for Q&A (FAQ) sections.
 - [Reveal.js Slideshow Plugin](#) 2020-05-27 von [Emmanuel Klinger](#), [Ottmar Gobrecht](#)
Display a Wiki page as Reveal.js slideshow presentation
 - [safefnrecode plugin](#) 2012-07-28 von [Andreas Gohr](#)
Changes existing page and folder names for the change in the safe filename encoding
 - [Site Export](#) 2026-02-19 von [i-net software](#)
exports the dokuwiki site in the given format
 - [smtp plugin](#) 2025-08-27 von [Andreas Gohr](#)
Send mails via a configured SMTP server
 - [struct plugin](#) 2025-09-24 von [Andreas Gohr](#), [Michael Große](#), [Anna Dabrowska](#)
Add and query additional structured page data
 - [styling plugin](#) 2020-06-14 von [Andreas Gohr](#)
Allows to edit style.ini replacements
 - [Tag Plugin](#) 2023-10-17 von [Michael Hamann](#), [Gina Häußge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#)
tag wiki pages
 - [templatepagename plugin](#) 2024-02-08 von [Gerrit Uitslag](#) (previous: [Martin](#))
Set a default template page name
 - [ToDo](#) 2025-08-26 von [Leo Eibler](#), [Christian Marg](#), [Markus Gschwendt](#), [Robert Weinmeister](#)
Create a checkbox based todo list with optional user assignment (basic syntax: `<todo>This is a ToDo</todo>`). It can also be used as a lightweight task list management system.
 - [Video Sharing Site Plugin](#) 2025-12-10 von [Andreas Gohr](#)

Easily embed videos from various Video Sharing sites. Example: `{{youtube>XXXXXX}}`

- [Wrap Plugin](#) 2023-08-13 von [Anika Henke](#)

Universal plugin which combines functionalities of many other plugins. Wrap wiki text inside containers (divs or spans) and give them a class (choose from a variety of preset classes), a width and/or a language with its associated text direction.

~~INFO:rendererplugins~~

- [Dw2Pdf plugin](#) 2026-01-08 von [Andreas Gohr](#) and [Luigi Micco](#)
DokuWiki to PDF converter
- [EditTable plugin](#) 2023-01-14 von [Andreas Gohr](#)
Provide a custom editor for tables
- [mermaid Plugin](#) 2025-08-13 von [Robert Weinmeister](#)
JavaScript based diagramming and charting tool that renders Markdown-inspired text definitions to create and modify diagrams dynamically.
- [Quality Control Plugin](#) 2025-11-10 von [Andreas Gohr](#)
Check the page structure for quality problems
- [Reveal.js Slideshow Plugin](#) 2020-05-27 von [Emmanuel Klinger](#), [Ottmar Gobrecht](#)
Display a Wiki page as Reveal.js slideshow presentation
- [Site Export](#) 2026-02-19 von [i-net software](#)
exports the dokuwiki site in the given format
- [struct plugin](#) 2025-09-24 von [Andreas Gohr](#), [Michael Große](#), [Anna Dabrowska](#)
Add and query additional structured page data

~~INFO:helperplugins~~

- [authorstats plugin](#) 2022-3-12 von [George Chatzisofroniou](#), [Constantinos Xanthopoulos](#)
Plugin that outputs statistics about the wiki's authors.
- [Bureaucracy Plugin](#) 2025-03-06 von [Andreas Gohr](#)
Create forms and generate pages or emails from them
- [cleanup plugin](#) 2016-07-06 von [Andreas Gohr](#)
Perform file cleanup in the wiki
- [discussion plugin](#) 2025-07-04 von [Michael Hamann](#), [Gerrit Uitslag](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#), [Matthias Schulte](#)
Provides discussion functionality for wiki pages
- [Extension Manager](#) 2015-07-26 von [Michael Hamann](#)
Allows managing and installing plugins and templates
- [Move plugin](#) 2025-06-09 von [Michael Hamann](#), [Gary Owen](#), [Arno Puschmann](#), [Christoph Jähnigen](#)
Move and rename pages and media files whilst maintaining the links.
- [multiorphan plugin](#) 2021-12-20 von [i-net software](#)
Administrative GUI to find all sorts of orphaned or wanted pages and media. This works using AJAX instead of loading everything into one page.
- [newpagetemplate Plugin](#) 2023-10-19 von [Damien Regad](#), [Jason Grout](#), [Myron Turner](#)
Load namespace-style template into new file from URL
- [Pagelist Plugin](#) 2023-08-27 von [Matthias Schulte](#), [Michael Hamann](#), [Michael Klier](#), [Gina Häussge](#)
Lists pages in a nice formatted way
- [Inline Page Modifier](#) 2014-11-10 von [Baseline IT](#)
Allows you create structured ways pages can be modified
- [Popularity Feedback Plugin](#) 2015-07-15 von [Andreas Gohr](#)
Send anonymous data about your wiki to the DokuWiki developers
- [Quality Control Plugin](#) 2025-11-10 von [Andreas Gohr](#)
Check the page structure for quality problems

- [Searchindex Manager 2026-02-04](#) von [Andreas Gohr](#)
Allows to rebuild the fulltext search index
- [Site Export 2026-02-19](#) von [i-net software](#)
exports the dokuwiki site in the given format
- [smtp plugin 2025-08-27](#) von [Andreas Gohr](#)
Send mails via a configured SMTP server
- [sqlite plugin 2025-12-01](#) von [Andreas Gohr](#)
A helper plugin to easily access a SQLite database
- [struct plugin 2025-09-24](#) von [Andreas Gohr, Michael Große, Anna Dabrowska](#)
Add and query additional structured page data
- [Tag Plugin 2023-10-17](#) von [Michael Hamann, Gina Häussge, Christopher Smith, Michael Klier, Esther Brunner](#)
tag wiki pages
- [DokuWiki Upgrade Plugin 2025-12-09](#) von [Andreas Gohr](#)
Automatically upgrade your DokuWiki install to the most recent stable release
- [Video Sharing Site Plugin 2025-12-10](#) von [Andreas Gohr](#)
Easily embed videos from various Video Sharing sites. Example: `{{youtube>XXXXXX}}`
- [Wrap Plugin 2023-08-13](#) von [Anika Henke](#)
Universal plugin which combines functionalities of many other plugins. Wrap wiki text inside containers (divs or spans) and give them a class (choose from a variety of preset classes), a width and/or a language with its associated text direction.

~~INFO:helpermethods~~

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_action = plugin_load('helper', 'bureaucracy_action');
```

\$bureaucracy_action->run()

Description	Handle the user input	
Parameters	fields	helper_plugin_bureaucracy_field[]
	thanks	string
	argv	array
Return value	false on error, thanks message on success	bool string

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_actionmail = plugin_load('helper', 'bureaucracy_actionmail');
```

\$bureaucracy_actionmail->run()

Description	Handle the user input
--------------------	-----------------------

Parameters	fields	helper_plugin_bureaucracy_field[]
	thanks	string
	argv	array
Return value	false on error, thanks message on success	bool string

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_actionscript = plugin_load('helper',
'bureaucracy_actionscript');
```

\$bureaucracy_actionscript->run()

Description	Handle the user input	
Parameters	fields	helper_plugin_bureaucracy_field[]
	thanks	string
	argv	array
Return value	false on error, thanks message on success	bool string

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_actiontemplate = plugin_load('helper',
'bureaucracy_actiontemplate');
```

\$bureaucracy_actiontemplate->run()

Description	Handle the user input	
Parameters	fields	helper_plugin_bureaucracy_field[]
	thanks	string
	argv	array
Return value	false on error, thanks message on success	bool string

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_field = plugin_load('helper', 'bureaucracy_field');
```

\$bureaucracy_field->initialize()

Description	Initiate object, first parameters are at least cmd and label
--------------------	--

Parameters	params	array
-------------------	--------	-------

\$bureaucracy_field->renderfield()

Description	Add parsed element to Form which generates XHTML	
	params	array
Parameters	form	Doku_Form
	formid	integer

\$bureaucracy_field->handle_post()

Description	Handle a post to the field	
	value	array
Parameters	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_field->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_field->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_field->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_field->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldaddpage = plugin_load('helper',
'bureaucracy_fieldaddpage');
```

\$bureaucracy_fieldaddpage->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldaddpage->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldaddpage->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldaddpage->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldaddpage->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldaddpage->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldaddpage->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddate = plugin_load('helper', 'bureaucracy_fielddate');
```

\$bureaucracy_fielddate->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fielddate->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fielddate->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fielddate->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fielddate->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fielddate->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fielddate->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddetail = plugin_load('helper', 'bureaucracy_fielddetail');
```

\$bureaucracy_fielddetail->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldemail->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldemail->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldemail->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldemail->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldemail->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldemail->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldfieldset = plugin_load('helper',
'helper_bureaucracy_fieldfieldset');
```

\$bureaucracy_fieldfieldset->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldfieldset->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldfieldset->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldfieldset->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldfieldset->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldfieldset->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldfieldset->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldfile = plugin_load('helper', 'bureaucracy_fieldfile');
```

\$bureaucracy_fieldfile->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldfile->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldfile->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldfile->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldfile->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldfile->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldfile->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldhidden = plugin_load('helper', 'bureaucracy_fieldhidden');
```

\$bureaucracy_fieldhidden->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldhidden->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldhidden->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldhidden->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldhidden->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldhidden->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldhidden->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldhiddenautoinc = plugin_load('helper',
'helper_plugin_bureaucracy_fieldhiddenautoinc');
```

\$bureaucracy_fieldhiddenautoinc->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldhiddenautoinc->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldhiddenautoinc->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldhiddenautoinc->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldhiddenautoinc->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldhiddenautoinc->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldhiddenautoinc->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldmultiselect = plugin_load('helper',
'helper_bureaucracy_fieldmultiselect');
```

\$bureaucracy_fieldmultiselect->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldmultiselect->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldmultiselect->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldmultiselect->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldmultiselect->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldmultiselect->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldmultiselect->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldnumber = plugin_load('helper', 'bureaucracy_fieldnumber');
```

\$bureaucracy_fieldnumber->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldnumber->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldnumber->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldnumber->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldnumber->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldnumber->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldnumber->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddonoff = plugin_load('helper', 'bureaucracy_fielddonoff');
```

\$bureaucracy_fielddonoff->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldonoff->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldonoff->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldonoff->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldonoff->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldonoff->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldonoff->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldpassword = plugin_load('helper',
'password_bureaucracy_fieldpassword');
```

\$bureaucracy_fieldpassword->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldpassword->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldpassword->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldpassword->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldpassword->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldpassword->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldpassword->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddradio = plugin_load('helper', 'bureaucracy_fielddradio');
```

\$bureaucracy_fielddradio->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldradio->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldradio->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldradio->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldradio->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldradio->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldradio->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldselect = plugin_load('helper', 'bureaucracy_fieldselect');
```

\$bureaucracy_fieldselect->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldselect->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldselect->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldselect->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldselect->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldselect->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldselect->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldstatic = plugin_load('helper', 'bureaucracy_fieldstatic');
```

\$bureaucracy_fieldstatic->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldstatic->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldstatic->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldstatic->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldstatic->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldstatic->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldstatic->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldsubject = plugin_load('helper',
'helper_bureaucracy_fieldsubject');
```

\$bureaucracy_fieldsubject->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldsubject->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldsubject->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldsubject->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldsubject->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldsubject->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldsubject->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldsubmit = plugin_load('helper', 'bureaucracy_fieldsubmit');
```

\$bureaucracy_fieldsubmit->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldsubmit->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldsubmit->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldsubmit->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldsubmit->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldsubmit->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldsubmit->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldtextarea = plugin_load('helper',
'bureaucracy_fieldtextarea');
```

\$bureaucracy_fieldtextarea->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldtextarea->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldtextarea->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldtextarea->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldtextarea->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldtextarea->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldtextarea->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldtextbox = plugin_load('helper', 'bureaucracy_fieldtextbox');
```

\$bureaucracy_fieldtextbox->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldtextbox->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldtextbox->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldtextbox->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldtextbox->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldtextbox->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldtextbox->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldtime = plugin_load('helper', 'bureaucracy_fieldtime');
```

\$bureaucracy_fieldtime->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fielddtime->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fielddtime->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fielddtime->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fielddtime->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fielddtime->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fielddtime->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddusemailtemplate = plugin_load('helper',
'bureaucracy_fielddusemailtemplate');
```

\$bureaucracy_fielddusemailtemplate->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldusemailtemplate->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldusemailtemplate->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldusemailtemplate->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldusemailtemplate->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldusemailtemplate->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldusemailtemplate->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielduser = plugin_load('helper', 'bureaucracy_fielduser');
```

\$bureaucracy_fielduser->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fielduser->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fielduser->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fielduser->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fielduser->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fielduser->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fielduser->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldusers = plugin_load('helper', 'bureaucracy_fieldusers');
```

\$bureaucracy_fieldusers->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldusers->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldusers->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldusers->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldusers->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldusers->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldusers->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fieldwiki = plugin_load('helper', 'bureaucracy_fieldwiki');
```

\$bureaucracy_fieldwiki->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldwiki->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldwiki->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldwiki->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldwiki->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldwiki->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldwiki->after_action()

Description	Executed after performing the action hooks
--------------------	--

Bureaucracy Plugin

Create forms and generate pages or emails from them

```
$bureaucracy_fielddyesno = plugin_load('helper', 'bureaucracy_fielddyesno');
```

\$bureaucracy_fielddyesno->initialize()

Description	Initiate object, first parameters are at least cmd and label	
Parameters	params	array

\$bureaucracy_fieldyesno->renderfield()

Description	Add parsed element to Form which generates XHTML	
Parameters	params	array
	form	Doku_Form
	formid	integer

\$bureaucracy_fieldyesno->handle_post()

Description	Handle a post to the field	
Parameters	value	array
	fields	helper_plugin_bureaucracy_field[]
	index	Doku_Form
	formid	integer
Return value	isvalid	bool

\$bureaucracy_fieldyesno->getFieldType()

Description	Get the field type	
Return value	fieldtype	string

\$bureaucracy_fieldyesno->isSet_()

Description	Whether the field is true (used for depending fieldsets)	
Return value	isset	bool

\$bureaucracy_fieldyesno->getParam()

Description	Get an arbitrary parameter	
Parameters	name	string
Return value	Parameter value	mixed null

\$bureaucracy_fieldyesno->after_action()

Description	Executed after performing the action hooks
--------------------	--

discussion plugin

Provides discussion functionality for wiki pages

```
$discussion = plugin_load('helper', 'discussion');
```

\$discussion->th()

Description	returns the header of the comments column for pagelist	
Return value	header	string

\$discussion->td()

Description	returns the link to the discussion section with number of comments	
Parameters	id	string
	number of comments (optional)	integer
Return value	link	string

\$discussion->getThreads()

Description	returns pages with discussion sections, sorted by recent comments	
Parameters	namespace	string
	number (optional)	integer
Return value	pages	array

\$discussion->getComments()

Description	returns recently added or edited comments individually	
Parameters	namespace	string
	number (optional)	integer
Return value	pages	array

\$discussion->isDiscussionModerator()

Description	check if current user is member of moderator groups	
Return value	isModerator	boolean

multiorphan plugin

Administrative GUI to find all sorts of orphaned or wanted pages and media. This works using AJAX instead of loading everything into one page.

```
$multiorphan = plugin_load('helper', 'multiorphan');
```

\$multiorphan->getThreads()

Description	returns pages with discussion sections, sorted by recent comments	
Parameters	namespace	string
	number (optional)	integer
Return value	pages	array

\$multiorphan->()

Description

Pagelist Plugin

Lists pages in a nice formatted way

```
$pagelist = plugin_load('helper', 'pagelist');
```

\$pagelist->addColumn()

Description	(optional) adds an extra column for plugin data	
Parameters	plugin name	string
	column key	string

\$pagelist->modifyColumn()

Description	(optional) override value of an existing column, value equal to false disables column	
Parameters	column key	string
	value	int bool

\$pagelist->setHeader()

Description	(optional) Provide header data, if not given default values or [plugin]->th() is used	
Parameters	column key	string
	value	int bool

\$pagelist->setFlags()

Description	(optional) overrides default flags, or en/disable existing columns	
Parameters	flags	array
Return value	success	boolean

\$pagelist->startList()

Description	(required) prepares the table header for the page list
--------------------	--

\$pagelist->addPage()

Description	(required) adds a page to the list	
Parameters	page attributes, 'id' required, others optional	array

\$pagelist->finishList()

Description	(required) returns the XHTML output	
Return value	xhtml	string

Inline Page Modifier

Allows you create structured ways pages can be modified

```
$pagemod_pagemod = plugin_load('helper', 'pagemod_pagemod');
```

\$pagemod_pagemod->run()

Description	Handle the user input
--------------------	-----------------------

Parameters	fields	helper_plugin_bureaucracy_field[]
	thanks	string
	argv	array
Return value	false on error, thanks message on success	bool string

Tag Plugin

tag wiki pages

```
$tag = plugin_load('helper', 'tag');
```

\$tag->overrideSortFlags()

Description	takes an array of sortflags and overrides predefined value	
Parameters	name	string

\$tag->th()

Description	returns the header for the tags column for pagelist	
Return value	header	string

\$tag->td()

Description	returns the tag links of a given page	
Parameters	id	string
Return value	links	string

\$tag->tagLinks()

Description	generates tag links for given words	
Parameters	tags	array
Return value	links	string

\$tag->getTopic()

Description	returns a list of pages tagged with the given keyword	
Parameters	namespace (optional)	string
	number (not used)	integer
	tag (required)	string
Return value	pages	array

\$tag->tagRefine()

Description	refines an array of pages with tags	
Parameters	pages to refine	array
	refinement tags	string
Return value	pages	array

\$tag->tagOccurrences()

Description	returns a list of tags with their number of occurrences	
Parameters	list of tags to get the occurrences for	array
	namespaces to which the search shall be restricted	array
	if all tags shall be returned (then the first parameter is ignored)	boolean
	if the namespaces shall be searched recursively	boolean
Return value	tags	array

From:

<https://wiki.satware.com/> - **satware AG**

Permanent link:

<https://wiki.satware.com/wiki/plugins?rev=1442991337>

Last update: **23.09.2015 08:55**

